

Vortex Technology Improves Fluidized Catalytic Cracker Unit Profits and Performance

RESULTS

- Saved maintenance cost of \$245,280 annually
- Increased process uptime with fewer shutdowns
- Eliminated harmful emissions with all-welded design
- Improved measurement reliability material balance to within 1%



Eliminating impulse lines and hot oil purges saved \$245,280 annually.

APPLICATION

Fluidized Catalytic Cracker Unit (FCCU)

APPLICATION CHARACTERISTICS

Hot oil purge line replacement


CUSTOMER

An oil refinery in North America

CHALLENGE

Hot oil purge line replacement. This oil refinery had been experiencing plugged impulse lines with very hot and viscous black slurry oil with catalyst fines in their DP orifice plates at the fractionator bottoms. In order to prevent this plugging, a higher grade flushing oil is used to purge the impulse lines of any catalyst fines before they can cause plugging. Plugged impulse lines result in inaccurate measurement and loss of accurate measurements, creating inefficiencies and poor mass balances on the system. Plugged impulse lines also result in increased maintenance costs due to the time and effort required to clear the impulse lines and bring the system back online.

In addition, the origin of the purge oil may change several times throughout the year, resulting in changes in specific gravity depending on the grade of fluid used in the purge process. These changes in specific gravity can also cause significant errors in the material balance of the process.



Typical diagram for a fractionator

ROSEMOUNT

For more information:
www.rosemount.com


EMERSON
Process Management

SOLUTION

This particular refinery installed a Rosemount 8800 Vortex Flowmeter to measure the fractionator bottoms, and two Vortex Flowmeters on the reflux pumparound circuit. The higher temperature capability of the Rosemount Vortex Flowmeter combined with the non-clog design eliminated the need for the flush oil purge process typically used to prevent plugging of impulse lines, with yearly flush oil cost savings of \$245,280 (.04 gal / min / impulse line flush oil flowrate).

In addition, the customer was able to bring the material balance within 1% on a 90,000 bbl/day FCCU, giving them the ability to control the process more tightly, resulting in higher product yields and reduced raw material costs.

An additional benefit of using the Rosemount 8800 were decreased unscheduled shutdowns as the process no longer needed to be shutdown to deal with plugged impulse piping. The Rosemount 8800 Vortex Flowmeter has also reduced the fugitive emissions potential with the all-welded design.

RESOURCES

Emerson Process Management Petroleum Refining Industry

<http://www2.emersonprocess.com/en-US/industries/refining/Pages/index.aspx>

Rosemount Vortex Flowmeters

<http://www2.emersonprocess.com/en-US/brands/rosemount/Flow/Vortex-Flowmeters/Pages/index.aspx>

The contents of this publication are presented for information purposes only, and while effort has been made to ensure their accuracy, they are not to be construed as warranties or guarantees, expressed or implied, regarding the products or services described herein or their use or applicability. All sales are governed by our terms and conditions, which can be found at www.rosemount.com/terms_of_sale. We reserve the right to modify or improve the designs or specifications of our products at any time without notice.

The Emerson logo is a trade mark and service mark of Emerson Electric Co.
Rosemount and the Rosemount logotype are registered trademarks of Rosemount Inc.
PlantWeb is a registered trademark of one of the Emerson Process Management group of companies.
All other marks are the property of their respective owners.

**Emerson Process Management
Rosemount Inc.**
8200 Market Boulevard
Chanhassen, MN 55317 USA
www.rosemount.com
Tel (USA) +1 800 522 6277
Tel (International) +1 (303) 527 5200
Fax +1 (303) 530 8459

Emerson Process Management
Blegistrasse 23
P.O. Box 1046
CH 6341 Baar
Switzerland
Tel +41 (0) 41 768 6111
Fax +41 (0) 41 768 6300

Emerson FZE
P.O. Box 17033
Jebel Ali Free Zone
Dubai UAE
Tel +971 4 811 8100
Fax +971 4 886 5465

**Emerson Process Management Asia
Pacific Private Limited**
1 Pandan Crescent
Singapore 128461
T (65) 6777 8211
F (65) 6777 0947
Enquiries@AP.EmersonProcess.com

**Emerson Process Management Latin America
Multipark Office Center**
Multipark Office Center
Turrubares Building, 3rd & 4th floor
Guachipelin de Escazu, Costa Rica
T+(506) 2505-6962
international.mmicam@emersonprocess.com

ROSEMOUNT®

For more information:
www.rosemount.com



EMERSON™
Process Management