

ABSA tracking # 2010-1630

UNIFORM STATUTORY DECLARATION FORM FOR THE REGISTRATION OF FITTING DESIGNS


NEW BRUNSWICK NOVA SCOTIA PRINCE EDWARD ISLAND NEWFOUNDLAND AND LABRADOR
NUNAVUT YUKON NORTHWEST TERRITORIES

Form containing manufacturer information (Emerson Process Management), plant location (Mexico), category of fittings (Measuring devices), and supporting documentation details.

DECLARATION:

I Dana Crowley (see note 3) employed by EPM, Rosemount Analytical and being the person having full authority and responsibility for the quality of the end product do solemnly declare that the information contained in this form is true and to the best of my knowledge represents the product for which registration is sought.

Signature of Declarer: Dana Crowley
Declared before me at Irvine, California, County of Orange
This 21st day of March AD 2012
Commissioner of Oaths or Notary Public: (sign) Catherine Ann Stip



Regulatory Authority use section containing CRN: OF12316.2, FID#: 521, and a list of notes regarding registration requirements.

ACCEPTED
PROVINCE OF PRINCE EDWARD ISLAND
ENVIRONMENT, LABOUR & JUSTICE

C.R.N. OF12316.29

DATE: Mar 25/12

INSPECTION SERVICES SECTION
BOILER/PRESSURE VESSEL BRANCH

UNIFORM STATUTORY DECLARATION FORM FOR THE REGISTRATION OF FITTING DESIGNS

NEW BRUNSWICK
NUNAVUT

NOVA SCOTIA
YUKON

PRINCE EDWARD ISLAND
NORTHWEST TERRITORIES

NEWFOUNDLAND AND LABRADOR

MANUFACTURERS NAME: Emerson Process Management, Rosemount Analytical Inc.

MANUFACTURERS ADDRESS: 2400 Barranca Parkway, Irvine, CA 92606

PLANT LOCATIONS: Address above AND Circuito Del Progreso #27, Parque Industrial Progreso, Mexicali, BC, Mexico CP-21190

CATEGORY OF FITTINGS TO BE REGISTERED. CIRCLE ONE CATEGORY ONLY

A Pipe fittings, including couplings, tees, elbows, Ys, plugs, unions, pipe caps, or reducers
 B Flanges: all flanges
 C Valves: all line valves
 D Expansion joints, flexible connections, and hose assemblies: all types
 E Strainers, filters, separators, and steam traps
 F Measuring devices, including pressure gauges, level gauges, sight glasses, levels, or pressure transmitters
 G Certified capacity-rated pressure relief devices acceptable as primary over pressure protection on boilers, pressure vessels, piping and fusible plugs
 H Pressure retaining components that do not fall into one of the above categories
 N Nuclear components: Class 1 Class 2 Class 3 (Meeting CNSC or ASME requirements)

TITLE OF THE STANDARD OF CONSTRUCTION
 Proprietary standard from applicable requirements of CSA standard B61 and product data sheets, supported by engineering pressure limit calculations.

SHOW MANUFACTURERS NAME, TRADEMARK, OR LOGO AS IT WILL APPEAR ON THE PRODUCT

ROSEMOUNT[®]
Analytical

TYPE OF CONSTRUCTION
 FORGED WELDED WROUGHT
 CAST OTHER
 DESCRIBE OTHER:

LIST OF SUPPORTING DOCUMENTATION AND IDENTIFICATION OF THE ACTUAL ITEMS TO BE REGISTERED:

Model 222 flow-through toroidal conductivity sensor Product Data sheets, PDS 71-222 which includes pressure and temperature ratings
 Model 222 toroidal conductivity sensor agency approval drawing PN 1700745
 Reports from RCM Technologies showing the pressure limit calculations of the 222 sensors, PNs 13675-CALC-00001/00002/00003/00004/R01

DECLARATION:


I Dana Crowley (see note 3) employed by EPM, Rosemount Analytical and being the person having full authority and responsibility for the quality of the end product do solemnly declare that the information contained in this form is true and to the best of my knowledge represents the product for which registration is sought. The dimensions, materials of construction, pressure temperature ratings, and identification markings are in accordance with the herein named standards. I further declare that the manufacture of these fittings is regulated by a Quality Control Program which extends to each plant where fabrication occurs in whole or in part and has been verified by Det Norske Veritas as being suitable for that purpose and I make this solemn declaration conscientiously believing it to be true, and knowing that it is of the same force and effect as if made under oath.

Signature of Declarer: *Dana Crowley*

Declared before me at Irvine, California, County of Orange

This 2nd day of March AD 2012

Commissioner of Oaths or Notary Public: (sign) *Catherine Ann Pitt*



This space for Regulatory Authority use
 This registration must be revalidated after ten (10) years from the date of issuance.

CRN: OF12316.2
 FID#: 521

- Notes:
- All fittings shall be registered in the name of the Manufacturer.
 - Each category shall be supported with two Statutory Declaration forms and one copy of supporting documentation.
 - The declaration shall be made by the person having full authority and responsibility for the quality of the end product.
 - Quality control programs shall be resubmitted for validation at a maximum interval of five (5) years.

GOVERNMENT OF
 NEWFOUNDLAND
 AND LABRADOR
 Department of
 Government Services

Registered OF12316.20
 Date 2012/6/14

GOVERNMENT SERVICES CENTRE
 Engineering and Inspection Services
 Registered by *[Signature]*

UNDER THE AUTHORITY OF THE
 PUBLIC SAFETY ACT AND
 THE BOILER, PRESSURE VESSEL AND
 COMPRESSOR REGULATIONS
 110/111/112/113/114/115/116/117/118/119/120

ABSA tracking # 2012-1630

UNIFORM STATUTORY DECLARATION FORM FOR THE REGISTRATION OF FITTING DESIGNS

NEW BRUNSWICK
NUNAVUT

NOVA SCOTIA
YUKON

PRINCE EDWARD ISLAND
NORTHWEST TERRITORIES


NEWFOUNDLAND AND LABRADOR

MANUFACTURERS NAME: Emerson Process Management, Rosemount Analytical Inc.	
MANUFACTURERS ADDRESS: 2400 Barranca Parkway, Irvine, CA 92606	
PLANT LOCATIONS: Address above AND Circuito Del Progreso #27, Parque Industrial Progreso, Mexicali, BC, Mexico CP-21100	
<p>CATEGORY OF FITTINGS TO BE REGISTERED. CIRCLE ONE CATEGORY ONLY</p> <p>A Pipe fittings, including couplings, tees, elbows, Ys, plugs, unions, pipe caps, or reducers B Flanges: all flanges C Valves: all line valves D Expansion joints, flexible connections, and hose assemblies: all types E Strainers, filters, separators, and steam traps <input checked="" type="checkbox"/> F Measuring devices, including pressure gauges, level gauges, sight glasses, levels, or pressure transmitters G Certified capacity-rated pressure relief devices acceptable as primary over pressure protection on boilers, pressure vessels, piping and fusible plugs H Pressure retaining components that do not fall into one of the above categories N Nuclear components: Class 1 <input type="checkbox"/> Class 2 <input type="checkbox"/> Class 3 <input type="checkbox"/> (Meeting CNSC or ASME requirements)</p>	<p>TITLE OF THE STANDARD OF CONSTRUCTION Proprietary standard from applicable requirements of CSA standard B51 and product data sheets, supported by engineering pressure limit calculations.</p>
<p>SHOW MANUFACTURERS NAME, TRADEMARK, OR LOGO AS IT WILL APPEAR ON THE PRODUCT</p> <p>ROSEMOUNT Analytical</p>	<p>TYPE OF CONSTRUCTION FORGED <input type="checkbox"/> WELDED <input checked="" type="checkbox"/> WROUGHT <input type="checkbox"/> CAST <input type="checkbox"/> OTHER <input type="checkbox"/> DESCRIBE OTHER:</p>
<p>LIST OF SUPPORTING DOCUMENTATION AND IDENTIFICATION OF THE ACTUAL ITEMS TO BE REGISTERED: Model 222 flow-through toroidal conductivity sensor Product Data sheets, PDS 71-222 which includes pressure and temperature ratings Model 222 toroidal conductivity sensor agency approval drawing PN 1700745 Reports from RCM Technologies showing the pressure limit calculations of the 222 sensors, PNs 13575-CALC-00001/00002/00003/00004/R01</p>	

DECLARATION:


I, Dana Crowley (see note 3) employed by EPM, Rosemount Analytical and being the person having full authority and responsibility for the quality of the end product do solemnly declare that the information contained in this form is true and to the best of my knowledge represents the product for which registration is sought. The dimensions, materials of construction, pressure temperature ratings, and identification markings are in accordance with the herein named standards. I further declare that the manufacture of these fittings is regulated by a Quality Control Program which extends to each plant where fabrication occurs in whole or in part and has been verified by Del Norske Veritas as being suitable for that purpose and I make this solemn declaration conscientiously believing it to be true, and knowing that it is of the same force and effect as if made under oath.

Signature of Declarer: [Signature]
Declared before me at Irvine, California, County of Orange
This 21st day of March AD 2012
Commissioner of Oaths or Notary Public: (sign) [Signature]



This space for Regulatory Authority use
This registration must be revalidated after ten (10) years from the date of acceptance.

CRN: 0F12316.2
FID#: 521



- Notes:
- All fittings shall be registered in the name of the Manufacturer.
 - Each category shall be supported with two Statutory Declaration forms and one copy of supporting documentation.
 - The declaration shall be made by the person having full authority and responsibility for the quality of the end product.
 - Quality control programs shall be resubmitted for validation at a maximum interval of five (5) years.

UNIFORM STATUTORY DECLARATION FORM FOR THE REGISTRATION OF FITTING DESIGNS

NEW BRUNSWICK
NUNAVUT

NOVA SCOTIA
YUKON

PRINCE EDWARD ISLAND
NORTHWEST TERRITORIES


NEWFOUNDLAND AND LABRADOR

MANUFACTURERS NAME: Emerson Process Management, Rosemount Analytical Inc.	
MANUFACTURERS ADDRESS: 2400 Barranca Parkway, Irvine, CA 92606	
PLANT LOCATIONS: Address above AND Circuito Del Progreso #27, Parque Industrial Progreso, Mexicali, BC, Mexico CP-21190	
CATEGORY OF FITTINGS TO BE REGISTERED. CIRCLE ONE CATEGORY ONLY	
<p>A Pipe fittings, including couplings, tees, elbows, Ys, plugs, unions, pipe caps, or reducers</p> <p>B Flanges: all flanges</p> <p>C Valves: all line valves</p> <p>D Expansion joints, flexible connections, and hose assemblies: all types</p> <p>E Strainers, filters, separators, and steam traps</p> <p>F Measuring devices, including pressure gauges, level gauges, sight glasses, levels, or pressure transmitters</p> <p>G Certified capacity-rated pressure relief devices acceptable as primary over pressure protection on boilers, pressure vessels, piping and fusible plugs</p> <p>H Pressure retaining components that do not fall into one of the above categories</p> <p>N Nuclear components: Class 1 <input type="checkbox"/> Class 2 <input type="checkbox"/> Class 3 <input type="checkbox"/>, (Meeting CNSC or ASME requirements)</p>	TITLE OF THE STANDARD OF CONSTRUCTION Proprietary standard from applicable requirements of CSA standard B51 and product data sheets, supported by engineering pressure limit calculations.
SHOW MANUFACTURERS NAME, TRADEMARK, OR LOGO AS IT WILL APPEAR ON THE PRODUCT	
ROSEMOUNT[®] Analytical	
TYPE OF CONSTRUCTION	
FORGED <input type="checkbox"/> WELDED <input checked="" type="checkbox"/> WROUGHT <input type="checkbox"/> CAST <input type="checkbox"/> OTHER <input type="checkbox"/> DESCRIBE OTHER:	
LIST OF SUPPORTING DOCUMENTATION AND IDENTIFICATION OF THE ACTUAL ITEMS TO BE REGISTERED:	
Model 222 flow-through toroidal conductivity sensor Product Data sheets, PDS 71-222 which includes pressure and temperature ratings Model 222 toroidal conductivity sensor agency approval drawing PN 1700745 Reports from RCM Technologies showing the pressure limit calculations of the 222 sensors, PNs 13575-CALC-00001/00002/00003/00004/R01	

DECLARATION:

I Dana Crowley (see note 3) employed by EPM, Rosemount Analytical and being the person having full authority and responsibility for the quality of the end product do solemnly declare that the information contained in this form is true and to the best of my knowledge represents the product for which registration is sought. The dimensions, materials of construction, pressure temperature ratings, and identification markings are in accordance with the herein named standards. I further declare that the manufacture of these fittings is regulated by a Quality Control Program which extends to each plant where fabrication occurs in whole or in part and has been verified by Det Norske Veritas as being suitable for that purpose and I make this solemn declaration conscientiously believing it to be true, and knowing that it is of the same force and effect as if made under oath.

Signature of Declarer: Dana Crowley
Declared before me at Irvine, California, County of Orange
This 21st day of March AD 2012
Commissioner of Oaths or Notary Public: (sign) Catherine Ann Stip



This space for Regulatory Authority use

This registration must be revalidated after ten (10) years from the date of acceptance.

CRN: 0F12316.2
FID#: 521

DEPT OF PUBLIC SAFETY
BOILER & PRESSURE VESSEL ACT

REGISTRATION ONLY

CRN 0F12316.27

EXAMINER: Catherine Ann Stip
for
CHIEF BOILER INSPECTOR

DATE: 05/25/2012

BLRs PVs
Sect. 1.0 - Fittings Rev. 1 06/2003

- Notes:
- All fittings shall be registered in the name of the Manufacturer.
 - Each category shall be supported with two Statutory Declaration forms and one copy of supporting documentation.
 - The declaration shall be made by the person having full authority and responsibility for the quality of the end product.
 - Quality control programs shall be resubmitted for validation at a maximum interval of five (5) years.

ABSA tracking # 2012-1630

UNIFORM STATUTORY DECLARATION FORM FOR THE REGISTRATION OF FITTING DESIGNS

NEW BRUNSWICK
NUNAVUT

NOVA SCOTIA
YUKON

PRINCE EDWARD ISLAND
NORTHWEST TERRITORIES

NEWFOUNDLAND AND LABRADOR

MANUFACTURERS NAME: Emerson Process Management, Rosemount Analytical Inc.

MANUFACTURERS ADDRESS: 2400 Barranca Parkway, Irvine, CA 92806

PLANT LOCATIONS: Address: above AND Circullo Del Progreso #27, Parque Industrial Progreso, Mexicali, BC, Mexico CP-21190

CATEGORY OF FITTINGS TO BE REGISTERED. CIRCLE ONE CATEGORY ONLY
A Pipe fittings, including couplings, tees, elbows, Ys, plugs, unions, pipe caps, or reducers
B Flanges: all flanges
C Valves: all line valves
D Expansion joints, flexible connections, and hose assemblies: all types
E Strainers, filters, separators, and steam traps
F Measuring devices, including pressure gauges, level gauges, sight glasses, levels, or pressure transmitters
G Certified capacity-rated pressure relief devices acceptable as primary over pressure protection on boilers, pressure vessels, piping and fuelible plugs
H Pressure retaining components that do not fall into one of the above categories
N Nuclear components: Class 1 Class 2 Class 3 , (Meeting CNSC or ASME requirements)

TITLE OF THE STANDARD OF CONSTRUCTION:
Proprietary standard from applicable requirements of CSA standard B51 and product data sheets, supported by engineering pressure limit calculations.

SHOW MANUFACTURERS NAME, TRADEMARK, OR LOGO AS IT WILL APPEAR ON THE PRODUCT

ROSEMOUNT
Analytical


TYPE OF CONSTRUCTION
FORGED WELDED WROUGHT
CAST OTHER
DESCRIBE OTHER:

LIST OF SUPPORTING DOCUMENTATION AND IDENTIFICATION OF THE ACTUAL ITEMS TO BE REGISTERED:
Model 222 flow-through toroidal conductivity sensor Product Data sheets, PDS 71-222 which includes pressure and temperature ratings
Model 222 toroidal conductivity sensor agency approval drawing PN 1700745
Reports from RCM Technologies showing the pressure limit calculations of the 222 sensors, PNs 13575-CALC-00001/00002/00003/00004/R01

DECLARATION:

I, Dana Crowley (see note 3) employed by EPM, Rosemount Analytical and being the person having full authority and responsibility for the quality of the end product do solemnly declare that the information contained in this form is true and to the best of my knowledge represents the product for which registration is sought. The dimensions, materials of construction, pressure temperature ratings, and identification markings are in accordance with the herein named standards. I further declare that the manufacture of these fittings is regulated by a Quality Control Program which extends to each plant where fabrication occurs in whole or in part and has been verified by Det Norske Veritas as being suitable for that purpose and I make this solemn declaration conscientiously believing it to be true, and knowing that it is of the same force and effect as if made under oath.


Signature of Declarer: [Signature]
Declared before me at Irvine, California, County of Orange
This 21st day of March AD 2012
Commissioner of Oaths or Notary Public: (sign) [Signature]



This space for Regulatory Authority use

This registration must be revalidated after ten (10) years from the date of acceptance

CRN: 0F12316.2
FID#: 521



Notes:

- 1. All fittings shall be registered in the name of the Manufacturer.
- 2. Each category shall be supported with two Statutory Declaration forms and one copy of supporting documentation.
- 3. The declaration shall be made by the person having full authority and responsibility for the quality of the end product.
- 4. Quality control programs shall be resubmitted for validation at a maximum interval of five (5) years.


UNIFORM STATUTORY DECLARATION FORM FOR THE REGISTRATION OF FITTING DESIGNS

NEW BRUNSWICK
NUNAVUT

NOVA SCOTIA
YUKON

PRINCE EDWARD ISLAND
NORTHWEST TERRITORIES


NEWFOUNDLAND AND LABRADOR

MANUFACTURERS NAME: Emerson Process Management, Rosemount Analytical Inc.	
MANUFACTURERS ADDRESS: 2400 Barranca Parkway, Irvine, CA 92606	
PLANT LOCATIONS: Address above AND Circuito Del Progreso #27, Parque Industrial Progreso, Mexicali, BC, Mexico CP-21190	
CATEGORY OF FITTINGS TO BE REGISTERED. CIRCLE ONE CATEGORY ONLY	
<p>A Pipe fittings, including couplings, tees, elbows, Ys, plugs, unions, pipe caps, or reducers</p> <p>B Flanges: all flanges</p> <p>C Valves: all line valves</p> <p>D Expansion joints, flexible connections, and hose assemblies: all types</p> <p>E Strainers, filters, separators, and steam traps</p> <p>F Measuring devices, including pressure gauges, level gauges, sight glasses, levels, or pressure transmitters</p> <p>G Certified capacity-rated pressure relief devices acceptable as primary over pressure protection on boilers, pressure vessels, piping and fusible plugs</p> <p>H Pressure retaining components that do not fall into one of the above categories</p> <p>N Nuclear components: Class 1 <input type="checkbox"/> Class 2 <input type="checkbox"/> Class 3 <input type="checkbox"/> (Meeting CNSC or ASME requirements)</p>	<p>TITLE OF THE STANDARD OF CONSTRUCTION</p> <p>Proprietary standard from applicable requirements of CSA standard B61 and product data sheets, supported by engineering pressure limit calculations.</p>
SHOW MANUFACTURERS NAME, TRADEMARK, OR LOGO AS IT WILL APPEAR ON THE PRODUCT	
	
TYPE OF CONSTRUCTION	
FORGED <input type="checkbox"/> WELDED <input checked="" type="checkbox"/> WROUGHT <input type="checkbox"/> CAST <input type="checkbox"/> OTHER <input type="checkbox"/> DESCRIBE OTHER:	
LIST OF SUPPORTING DOCUMENTATION AND IDENTIFICATION OF THE ACTUAL ITEMS TO BE REGISTERED:	
Model 222 flow-through toroidal conductivity sensor Product Data sheets, PDS 71-222 which includes pressure and temperature ratings Model 222 toroidal conductivity sensor agency approval drawing PN 1700745 Reports from RCM Technologies showing the pressure limit calculations of the 222 sensors, PNs 13575-CALC-00001/00002/00003/00004/R01	

DECLARATION:

I, Dana Crowley (see note 3) employed by EPM, Rosemount Analytical and being the person having full authority and responsibility for the quality of the end product do solemnly declare that the information contained in this form is true and to the best of my knowledge represents the product for which registration is sought. The dimensions, materials of construction, pressure temperature ratings, and identification markings are in accordance with the herein named standards. I further declare that the manufacture of these fittings is regulated by a Quality Control Program which extends to each plant where fabrication occurs in whole or in part and has been verified by Del Norske Veritas as being suitable for that purpose and I make this solemn declaration conscientiously believing it to be true, and knowing that it is of the same force and effect as if made under oath.

Signature of Declarer: *Dana Crowley*
 Declared before me at Irvine, California, County of Orange
 This 2/15 day of March AD 2012
 Commissioner of Oaths or Notary Public: (sign) *[Signature]*




This space for Regulatory Authority use

This registration must be revalidated after ten (10) years from the date of acceptance

CRN: OF12316.2

FID#: 521

Notes:
 1. All fittings shall be registered in the name of the Manufacturer.
 2. Each category shall be supported with two Statutory Declaration forms and one copy of supporting documentation.
 3. The declaration shall be made by the person having full authority and responsibility for the quality of the end product.
 4. Quality control programs shall be resubmitted for validation at a maximum interval of five (5) years.



REGISTERED

UNDER THE AUTHORITY OF THE BOILER AND PRESSURE VESSEL ACT.

C.R.N. OF12316.2T

SIGNED *[Signature]*

DATE May 25 2012 06/2003

150.00

UNIFORM STATUTORY DECLARATION FORM FOR THE REGISTRATION OF FITTING DESIGNS

NEW BRUNSWICK
NUNAVUT

NOVA SCOTIA
YUKON

PRINCE EDWARD ISLAND
NORTHWEST TERRITORIES


NEWFOUNDLAND AND LABRADOR

MANUFACTURERS NAME: Emerson Process Management, Rosemount Analytical Inc.	
MANUFACTURERS ADDRESS: 2400 Barranca Parkway, Irvine, CA 92606	
PLANT LOCATIONS: Address above AND Circuito Del Progreso #27, Parque Industrial Progreso, Mexicali, BC, Mexico CP-21190	
<p>CATEGORY OF FITTINGS TO BE REGISTERED. CIRCLE ONE CATEGORY ONLY</p> <p>A Pipe fittings, including couplings, tees, elbows, Ys, plugs, unions, pipe caps, or reducers</p> <p>B Flanges: all flanges</p> <p>C Valves: all line valves</p> <p>D Expansion joints, flexible connections, and hose assemblies: all types</p> <p>E Strainers, filters, separators, and steam traps</p> <p>F Measuring devices, including pressure gauges, level gauges, sight glasses, levels, or pressure transmitters</p> <p>G Certified capacity-rated pressure relief devices acceptable as primary over pressure protection on boilers, pressure vessels, piping and fusible plugs</p> <p>H Pressure retaining components that do not fall into one of the above categories</p> <p>N Nuclear components: Class 1 <input type="checkbox"/> Class 2 <input type="checkbox"/> Class 3 <input type="checkbox"/> (Meeting CNSC or ASME requirements)</p>	<p>TITLE OF THE STANDARD OF CONSTRUCTION</p> <p>Proprietary standard from applicable requirements of CSA standard B51 and product data sheets, supported by engineering pressure limit calculations.</p>
<p>SHOW MANUFACTURERS NAME, TRADEMARK, OR LOGO AS IT WILL APPEAR ON THE PRODUCT</p> <p>ROSEMOUNT[®] Analytical</p>	<p>TYPE OF CONSTRUCTION</p> <p>FORGED <input type="checkbox"/> WELDED <input checked="" type="checkbox"/> WROUGHT <input type="checkbox"/> CAST <input type="checkbox"/> OTHER <input type="checkbox"/> DESCRIBE OTHER:</p>
<p>LIST OF SUPPORTING DOCUMENTATION AND IDENTIFICATION OF THE ACTUAL ITEMS TO BE REGISTERED:</p> <p>Model 222 flow-through toroidal conductivity sensor Product Data sheets, PDS 71-222 which includes pressure and temperature ratings</p> <p>Model 222 toroidal conductivity sensor agency approval drawing PN 1700745</p> <p>Reports from RCM Technologies showing the pressure limit calculations of the 222 sensors, PNs 13575-CALC-00001/00002/00003/00004/R01</p>	

DECLARATION:

I, Dana Crowley (see note 2) employed by EPM, Rosemount Analytical and being the person having full authority and responsibility for the quality of the end product do solemnly declare that the information contained in this form is true and to the best of my knowledge represents the product for which registration is sought. The dimensions, materials of construction, pressure temperature ratings, and identification markings are in accordance with the herein named standards. I further declare that the manufacture of these fittings is regulated by a Quality Control Program which extends to each plant where fabrication occurs in whole or in part and has been verified by Det Norske Veritas as being suitable for that purpose and I make this solemn declaration conscientiously believing it to be true, and knowing that it is of the same force and effect as if made under oath.

Signature of Declarer: Dana Crowley
Declared before me at Irvine, California, County of Orange
This 21st day of March AD 2012
Commissioner of Oaths or Notary Public: (sign) [Signature]



This space for Regulatory Authority use. This registration must be revalidated after ten (10) years from the date of acceptance.

NUNAVUT

Boilers and Pressure Vessels Act

REGISTERED

CRN OF 12316.2N

Date June 5, 2012

Signed [Signature] Chief Inspector

Territorial Registration Fee \$75

Sect. 9.0 - Fittings Rev. 1.05/2003

CRN: OF12316.2
FID#: 521

- Notes:
- All fittings shall be registered in the name of the Manufacturer.
 - Each category shall be supported with two Statutory Declaration forms and one copy of supporting documentation.
 - The declaration shall be made by the person having full authority and responsibility for the quality of the end product.
 - Quality control programs shall be resubmitted for validation at a maximum interval of five (5) years.

22
75
xy