

UNIVERSAL STATUTORY DECLARATION AND DATA REPORT FOR THE REGISTRATION OF FITTING DESIGNS IN THE PROVINCES AND TERRITORIES OF CANADA


#1
ORIG.

1: BRITISH COLUMBIA 2: ALBERTA 3: SASKATCHEWAN 4: MANITOBA 5: ONTARIO 6: QUEBEC 7: NEW BRUNSWICK
8: NOVA SCOTIA 9: PRINCE EDWARD ISLAND 0: NEWFOUNDLAND AND LABRADOR Y: YUKON TERRITORY T: NORTHWEST TERRITORIES

MANUFACTURERS NAME: Fisher Controls International, Inc., Regulator Division

MANUFACTURERS ADDRESS: 310 East University Drive, McKinney, Texas 75070-8004

PLANT LOCATIONS: See Attachments, ISO Certificates (2)

CATEGORY OF FITTINGS TO BE REGISTERED. CIRCLE ONE CATEGORY ON	TITLE OF THE STANDARD OF CONSTRUCTION
A Pipe fittings, including couplings, tees, y's, plugs, unions, nipples, pipe caps, reducers, etc. B Flanges: All Flanges. C Valves: All Line Valves D Expansion joints, flexible connections; and hose assemblies: all types. E Strainers, filters, separators and steam traps. F Measuring devices: including pressure gauges, level gauges, sight glasses, level or pressure transmitters. G Pressure relief devices. H Pressure-retaining components that do not fall into one of the above categories. N Nuclear components; Class 1 <input type="checkbox"/> , Class 2 <input type="checkbox"/> , Class 3 <input type="checkbox"/> . (Meeting ASME or ASME requirements)	ASME B31.3-326
SHOW THE MANUFACTURERS NAME, TRADEMARK, OR LOGO AS IT WILL APPEAR ON THE PRODUCT Fisher Controls or FISHER or 	TYPE OF CONSTRUCTION FORGED <input type="checkbox"/> WELDED <input type="checkbox"/> WROUGHT <input type="checkbox"/> CAST <input checked="" type="checkbox"/> MOLDED <input type="checkbox"/> OTHER <input type="checkbox"/> DESCRIBE OTHER:

LIST OF SUPPORTING DOCUMENTATION AND IDENTIFICATION OF THE ACTUAL ITEMS TO BE REGISTERED:

1. Attached List of Products (Attachment A).
1. ISO 9000 Certificates of Registration of Quality System.
3. Bulletins, Drawing and Calculations to support the above list

DECLARATION:

I, Cliff Westbrook (see note 4) employed by Fisher Controls International, Inc. and being the Person having full authority and responsibility for the quality of the end product do solemnly declare that the information contained in this form is true and to the best of my knowledge represents the product for which registration is sought. The dimensions, material of construction, pressure temperature ratings, and identification markings are in accordance with the herein named standards. I further declare that the manufacture of these fittings is regulated by a Quality control Program which extends to each plant where fabrication occurs in whole or in part and has been verified by OMI as being suitable for that purpose. And I make this solemn declaration conscientiously believing it to be true, and knowing that it is of the same force and effect as if made under oath.

SIGNATURE OF DECLARER: Cliff Westbrook C. WESTBROOK SIGNATURE

DECLARED BEFORE ME AT Fisher Controls Intl, Inc.

THIS 18 DAY OF September AD 2003

NOTARY PUBLIC: (SIGN) Judy O. Davis NOTARIZED SIGNATURE



RECOMMENDATION & CERTIFICATION:

THIS SPACE FOR OFFICE USE ONLY

FID#: 1830 CRN: 0C8768.5 Add.1

REVIEWED BY _____ DATE: _____

SIGNATURE: _____

THE SIGNATURE AND CORPORATE SEAL IN THIS SECTION CERTIFIES THIS TO BE A TRUE COPY OF A DECLARATION BEARING THE ORIGINAL SIGNATURE AND SEAL OF THE PARTIES INDICATED THEREIN. THE DECLARATION FORMS BEARING THIS ORIGINAL SIGNATURE AND SEAL ARE MAINTAINED BY THE CERTIFYING OFFICE FOR AVAILABILITY IN THE EVENT OF LITIGATION

PROVINCE OF NEW BRUNSWICK
 DEPT. OF PUBLIC SAFETY
 BOILER & PRESSURE VESSEL ACT

REGISTRATION OFFICE USE ONLY
 CRN 0C8768.57 Add.1
 EXAMINER: Dale E. Ross
 for
 CHIEF BOILER INSPECTOR
 DATE: February 26, 2004

BLRs PVs
 FITTINGS COMPONENTS

- NOTES: (1) See the reverse side of this form for exact instructions on its completion. (2) all fittings shall be registered in the name of the Manufacturer. (3) Each category shall be supported with two Statutory Declaration Forms bearing original signatures and the embossed seal of the Notary Public. (4) The declaration shall be made by the person having full authority and responsibility for the quality of the end product. (5) This registration is valid for (10) years unless cancelled sooner.

UNIVERSAL STATUTORY DECLARATION AND DATA REPORT FOR THE REGISTRATION OF FITTING DESIGNS IN THE PROVINCES AND TERRITORIES OF CANADA

1: BRITISH COLUMBIA 2: ALBERTA 3: SASKATCHEWAN 4: MANITOBA 5: ONTARIO 6: QUEBEC 7: NEW BRUNSWICK
 8: NOVA SCOTIA 9: PRINCE EDWARD ISLAND 0: NEWFOUNDLAND AND LABRADOR Y: YUKON TERRITORY T: NORTHWEST TERRITORIES

MANUFACTURERS NAME: Fisher Controls International, Inc., Valve division

MANUFACTURERS ADDRESS: 205 S. Center St., Marshalltown, Iowa, USA **PLANT LOCATIONS:** Same as address

CATEGORY OF FITTINGS TO BE REGISTERED. CIRCLE ONE CATEGORY ON

- A Pipe fittings, including couplings, tees, y's, plugs, unions, nipples, pipe caps, reducers, etc.
- B Flanges: All Flanges.
- D Expansion joints, flexible connections, and hose assemblies: all types.
- E Strainers, filters, separators and steam traps.
- F Measuring devices: including pressure gauges, level gauges, sight glasses, level or pressure transmitters.
- G Pressure relief devices.
- H Pressure-retaining components that do not fall into one of the above categories.
- N Nuclear components; Class 1 , Class 2 , Class 3 . (Meeting AECB or ASME requirements)

TITLE OF THE STANDARD OF CONSTRUCTION

ASME B31.3

SHOW THE MANUFACTURERS NAME, TRADEMARK, OR LOGO AS IT WILL APPEAR ON THE PRODUCT

Fisher Controls or FISHER or



TYPE OF CONSTRUCTION

- FORGED WELDED WROUGHT
 CAST MOLDED OTHER
 DESCRIBE OTHER:

LIST OF SUPPORTING DOCUMENTATION AND IDENTIFICATION OF THE ACTUAL ITEMS TO BE REGISTERED:

Same as for 0C8768.5 R1 Regulator Products (this is addendum to add 2 more Manf sites to 0C8768.5) See 0C8768.5 CRN documentation.

ISO 9001:2000 Certificate attached

DECLARATION:

I George Baitinger employed by Fisher Controls International Inc. and being the Person having full authority and responsibility for the quality of the end product do solemnly declare that the information contained in this form is true and to the best of my knowledge represents the product for which registration is sought. The dimensions, material of construction, pressure temperature ratings, and identification markings are in accordance with the herein named standards. I further declare that the manufacture of these fittings is regulated by a Quality control Program which extends to each plant where fabrication occurs in whole or in part and has been verified by HSB Registration Services, Wayne, Penn. USA as being suitable for this purpose. And I make this solemn declaration conscientiously believing it to be true, and knowing that it is of the same force and effect as if made under oath.

SIGNATURE OF DECLARER: George Baitinger G. BAITINGER--SIGNATURE

DECLARED BEFORE ME AT Marshalltown, Iowa

THIS 15th DAY OF December AD 2003

NOTARY PUBLIC: (SIGN) Raeleene A Sommerlot NOTARIZED SIGNOFF



RAELENE A. SOMMERLOT
 COMMISSION NO. 717094
 MY COMMISSION EXPIRES

RECOMMENDATION & CERTIFICATION:

THIS SPACE FOR OFFICE USE ONLY

FID#: 1830 CRN: 0C8768.5 Add.1

REVIEWED BY _____ DATE: _____

SIGNATURE: _____

THE SIGNATURE AND CORPORATE SEAL IN THIS SECTION CERTIFIES THIS TO BE A TRUE COPY OF A DECLARATION BEARING THE ORIGINAL SIGNATURE AND SEAL OF THE PARTIES INDICATED THEREIN. THE DECLARATION FORMS BEARING THIS ORIGINAL SIGNATURE AND SEAL ARE MAINTAINED BY THE CERTIFYING OFFICE FOR AVAILABILITY IN THE EVENT OF LITIGATION

PROVINCE OF IOWA
 DEPT. OF PUBLIC SAFETY
 BOILER & PRESSURE VESSEL ACT

THIS SPACE FOR OFFICE USE ONLY
 REGISTRATION ONLY

CRN 0C8768.57 Add 1

EXAMINER: Wale E. Ross
 for
 CHIEF BOILER INSPECTOR

DATE: February 26, 2004

- BLRs
- FITTINGS
- PV's
- COMPONENTS


NOTES: (1) See the reverse side of this form for exact instructions on its completion. (2) all fittings shall be registered in the name of the Manufacturer. (3) Each category shall be supported with two Statutory Declaration Forms bearing original signatures and the embossed seal of the Notary Public. (4) The declaration shall be made by the person having full authority and responsibility for the quality of the end product. (5) This registration is valid for (10) years unless cancelled sooner.

UNIVERSAL STATUTORY DECLARATION AND DATA REPORT FOR THE REGISTRATION OF FITTING DESIGNS IN THE PROVINCES AND TERRITORIES OF CANADA

1: BRITISH COLUMBIA 2: ALBERTA 3: SASKATCHEWAN 4: MANITOBA 5: ONTARIO 6: QUEBEC 7: NEW BRUNSWICK
 8: NOVA SCOTIA 9: PRINCE EDWARD ISLAND 0: NEWFOUNDLAND AND LABRADOR Y: YUKON TERRITORY T: NORTHWEST TERRITORIES

MANUFACTURERS NAME: Emerson Process Management, Instrument and Valve Services

MANUFACTURERS ADDRESS: 20 Depew Street, Hamilton, Ontario, L8L 7H8, Canada PLANT LOCATIONS: Same as address

CATEGORY OF FITTINGS TO BE REGISTERED. CIRCLE ONE CATEGORY ON A Pipe fittings, including couplings, tees, y's, plugs, unions, nipples, pipe caps, reducers, etc. B Flanges: All Flanges. D Expansion joints, flexible connections, and hose assemblies: all types. E Strainers, filters, separators and steam traps. F Measuring devices: including pressure gauges, level gauges, sight glasses, level or pressure transmitters. G Pressure relief devices. H Pressure-retaining components that do not fall into one of the above categories. N Nuclear components: Class 1 <input type="checkbox"/> , Class 2 <input type="checkbox"/> , Class 3 <input type="checkbox"/> . (Meeting AECB or ASME requirements)		TITLE OF THE STANDARD OF CONSTRUCTION ASME B31.3
SHOW THE MANUFACTURERS NAME, TRADEMARK, OR LOGO AS IT WILL APPEAR ON THE PRODUCT Fisher Controls or FISHER or 	TYPE OF CONSTRUCTION FORGED <input type="checkbox"/> WELDED <input type="checkbox"/> WROUGHT <input checked="" type="checkbox"/> CAST <input checked="" type="checkbox"/> MOLDED <input type="checkbox"/> OTHER <input type="checkbox"/> DESCRIBE OTHER:	

LIST OF SUPPORTING DOCUMENTATION AND IDENTIFICATION OF THE ACTUAL ITEMS TO BE REGISTERED:

Same as for 0C8768.5 R1 Regulator Products (this is addendum to add 2 more Manf sites to 0C8768.5) See 0C8768.5 CRN documentation.

ISO 9001:2001 Certificate attached

DECLARATION:

I Steve Burn -Q. A. Manager employed by Emerson Process Management and being the Person having full authority and responsibility for the quality of the end product do solemnly declare that the information contained in this form is true and to the best of my knowledge represents the product for which registration is sought. The dimensions, material of construction, pressure temperature ratings, and identification markings are in accordance with the herein named standards. I further declare that the manufacture of these fittings is regulated by a Quality control Program which extends to each plant where fabrication occurs in whole or in part and has been verified by HSB Registration Services, Wayne, Penn. USA as being suitable for that purpose. And I make this solemn declaration conscientiously believing it to be true, and knowing that it is of the same force and effect as if made under oath.

SIGNATURE OF DECLARER: Steve Burn


STEVE BURN-- SIGNATURE

DECLARED BEFORE ME AT CITY OF HAMILTON

THIS 19TH DAY OF DECEMBER AD 2003

NOTARY PUBLIC: (SIGN) [Signature]

NOTARIZED SIGNOFF



PROVINCE OF NB
 DEPT. OF PUBLIC SAFETY
 BOILER & PRESSURE VESSEL ACT

THIS SPACE FOR OFFICE USE ONLY
 REGISTRATION ONLY
 CRN 0C8768.57 Add 1.
 EXAMINER: Wale C. Ross
 for
 CHIEF BOILER INSPECTOR
 DATE: February 26, 2004

BLRs PVs
 FITTINGS COMPONENTS

RECOMMENDATION & CERTIFICATION:

THIS SPACE FOR OFFICE USE ONLY

FID#: 1830 CRN: 0C8768.5 Add.1

REVIEWED BY _____ DATE: _____

SIGNATURE: _____

THE SIGNATURE AND CORPORATE SEAL IN THIS SECTION CERTIFIES THIS TO BE A TRUE COPY OF A DECLARATION BEARING THE ORIGINAL SIGNATURE AND SEAL OF THE PARTIES INDICATED THEREIN. THE DECLARATION FORMS BEARING THIS ORIGINAL SIGNATURE AND SEAL ARE MAINTAINED BY THE CERTIFYING OFFICE FOR AVAILABILITY IN THE EVENT OF LITIGATION

- NOTES: (1) See the reverse side of this form for exact instructions on it's completion. (2) all fittings shall be registered in the name of the Manufacturer.
 (3) Each category shall be supported with two Statutory Declaration Forms bearing original signatures and the embossed seal of the Notary Public.
 (4) The declaration shall be made by the person having full authority and responsibility for the quality of the end product.
 (5) This registration is valid for (10) years unless cancelled sooner.

Attachment A for CRN
Fisher Controls Regulator Division

19-Aug-03

Tab #	Bulletin #	Type(s) In Bulletins	Matl(s)	Ref(s)	Summary Page(s)
Group 01	71.1:95 71.1:95B 71.2:92C 71.2:92CT	95L,95H, 95LD, 95HD, 95HP, 95HT, 95LC, 95HC 95BL,95BH 92C 92CT,92CTP	ALL ALL ALL ALL	OC8768.5	1-3
Group 02	71.1:133	133H,133HP, 133L,133Z	ALL		4-5
Group 03	71.1:627 71.1:627W 71.2:627F	627, 627R, 627H, 627M, 627MR, 627HM 627W,627WH 627F	STL STL,SST STL		6
Group 04	71.1:630	630	ALL		7
Group 05	71.1:1301	1301F, 1301G	SST		8
Group 06	71.2:310A	310A	ALL		9
Group 07	71.1:67C	67C, 67CR, 67CF, 67CFR, 67CFS, 67CFSR	ALL	67CF/67CFR OC.6952 2001	10
Group 08	71.2:92B 71.2:92BT	92B,92P 92BT,92BTP	ALL ALL		11-12
Group 09	71.2:1098-EGR 71.2:92S 71.2:92ST 71.2:92W 71.2:EZH 71.2:EZR 71.4:414-6305 71.4:63EG 71.4:EZR 71.6:OSE 74.1:1190 74.2:1290	1098-EGR, 1098H-EGR 92S 92ST, 92STP 92W EZH EZR 414-6305 63EG, 1098-63EGR EZR OSE 1190 (1098-EGR SYSTEM) 1290 (1098-EGR SYSTEM)	ALL ALL ALL ALL ALL ALL ALL ALL ALL ALL ALL ALL		13-14
Group 10	51.1:119 71.1:Y600A	119 Y600A, Y600AM, Y600AR	ALL ALL		15
Group 11	71.1:Y690A 71.3:Y690VB 71.3:Y695VR 74.1:Y690A	Y690A, Y690AH, Y690AM, Y690AHM Y690VB, Y690VBM Y695VR, Y695VRM Y690A, Y690AH, Y690AM, Y690AHM	SST,HAST SST,HAST SST, HAST SST, HAST		16-17
Group 12	71.1:S200 71.2:299H 71.3:Y692VB 71.3:Y696VR 74.1:Y692 74.1:Y693 74.2:Y696	S201, S201H, S201K, S201P, S201PK, S202, S202H, S202P, S203, S203H, S203P, S204, S204H, S206, S206H, S208, S208H, S208P, S208K, S208PK, S209, S209H, S209P 299H, 299HR Y692VB Y696VR Y692 Y693 Y696	STL, CI STL, CI ALL STL, SST, HAST ALL STL, SST STL, SST, HAST		18-20
Group 13	71.2:99	99	CI, STL		21-22
Group 14	71.4:98	98L, 98LD, 98H, 98HD, 98HH	STL, SST		23
Group 15	71.1:S300 71.2:S301	S301, S301H, S301HP, S301P, S302, S302H, S302P, S303, S303H, S303P S301D, S301F	ALL ALL		24
Group 16	71.1:66 71.4:66	66, 66Z, 66ZZ 66R, 66RR			25-26
Group 17	71.1:166	166-2, 166-4, 166-5, 166-6, 166-7			27-28
Group 18	61.7:171	171F, 171L			29
Group 19	71.1:75A	75A	ALL		30

THIS IS PART OF
CRN OC 8768-581
Technical Standards & Safety Authority
Boilers & Pressure Vessels
Safety Division

EXPIRY: SEPT-06-2013