

Education in Machinery Health™ Management



REGIONAL ADVANCED VIBRATION ANALYSIS COURSE



ADVANCED VIBRATION ANALYSIS (COURSE #2033) – 2.8 CEUS

Compliant with Category III Vibration Analyst per ISO standard 18436-2: Vibration condition monitoring and diagnostics.

This course expands on the subjects covered in Intermediate Vibration (Category II), with an emphasis on fault analysis, corrective actions, and advanced analysis techniques. Dual-channel analyzer features are introduced, including the use of AMS Suite: Machinery Health™ Manager software to set up the advanced analyzer features and downloadable programs for data collection. Intermediate vibration analysis course and a cumulative three years of field experience are recommended.

TOPICS INCLUDE

- Specifying appropriate vibration instrumentation hardware and software for both portable and permanently installed systems
- Performing spectrum and time waveform analysis under both steady-state and unsteady operating conditions
- Establishing specifications for vibration levels and acceptance criteria for new machinery
- Measuring and analyzing basic operational deflection shapes (ODS)
- Understanding and applying the use of other condition monitoring technologies
- Measuring and analyzing PeakVue® measurements
- Preparing machinery condition reports

- Understanding and applying Slow Speed Technology (SST®), zoom analysis, transient techniques, dual-channel analyzer features, triggered data capture, and resonance detection.

Optional Category III exam available at the end of this course. Passing grade for this 4-hour written exam is 75% or greater. You must complete this Category III course and have previously passed the Category II exam to be eligible for this test.

DATES AND LOCATIONS

February 7th to 10th, 2011 for course 2033. Exam will be on February 11th.

Novaspect Inc. Greenville WI

N992 Quality Drive, Suite A
Greenville WI 54942

Course: 8:00 AM – 4:00 PM daily

Exam: 8:00 AM – Noon Friday

- \$2,100 per person for course, \$350 per person for exam. Lunch will be provided.

Registration:

To register, complete the registration form indicating your payment and fax to 865-218-1764. For more information, contact mong-ching.lin@emerson.com, 865-675-2400 extension 2414

REGISTRATION FORM

Complete a separate registration form for each class you attend. Deadline for registration is one week prior to start of class.

Please photocopy this form for future use.

Name to appear on class certificate

Name to appear on name tag

Country of Citizenship

Company

Physical or Shipping Address

City/State/Zip

Billing Address

City/State/Zip

Phone

Fax

Email

Course or Certification

Dates of Course or Certification

Course location Knoxville Austin
 San Diego

Today's Date - -

FORM OF PAYMENT (MUST BE COMPLETED)

Credit Card # _____

Expiration Date _____

Please print cardholder's name _____

Visa Mastercard AMEX

Authorized signature _____

Phone _____

Fax receipt to _____

Check # _____

Purchase Order # _____

Total amount of purchase order _____

In order to process your Purchase Order, a hardcopy of the Purchase Order must be received along with a copy of your registration. Purchase orders must be made out to Emerson Process Management, LLLP, c/o Novaspect Inc. Purchase orders may be emailed to customerPO@novaspect.com.

Does this P.O. cover more than one registration?

YES NO

Training Certificate: ACET #: _____

A copy of your certificate for training must accompany your registration. Please bring the certificate with you to class.

Note: A confirmation will be sent to you to confirm your place in the class within 72 hours of receiving your registration. If you do not receive a confirmation, your space in class is not guaranteed, so please call.

I have the prerequisites for this course. I know the date, starting time and directions to the training facility. I understand the cancellation policies.

Date - -

Signature _____

RETURN TO

Emerson • Attn: Education Services
835 Innovation Drive
Knoxville, Tennessee 37932
Phone: 800-675-4726
Fax: 865-218-1764