White Paper

Advantages of Using Linkageless, Non-Contact Feedback Technology in Digital Positioners





Advantages of Using Linkageless, Non-Contact Feedback Technology in Digital Positioners

The Problem

In order to accurately position control valves, eliminate assembly friction, and dismiss other non-linearity issues, digital positioners require detailed stem position information. Mechanical linkage and contact potentiometers used for stem position feedback are subject to wear, corrosion, and vibration damage. Damage to the components used to deliver stem position feedback can lead to poor loop performance, unplanned maintenance costs, and lost production.

The Solution

The use of linkageless, non-contact feedback technology eliminates issues associated with moving parts, including wear, loosening, corrosion, and vibration damage. This technology allows facilities to reap the benefits of smart positioning in their toughest applications, without putting production at risk.

The Principle

Linkageless, non-contact stem position feedback is possible when using a Hall effect sensor to measure magnetic flux density across an array of permanent magnets.

Hall effect sensors are transducers that vary output voltage in response to a magnetic field. Each voltage measurement represents a unique stem position.

Made from "hard" ferromagnetic materials, permanent magnets retain their own constant magnetic field after exposure to a powerful external magnetic field. This exposure aligns their internal microcrystalline structure. A series of calibration processes are used to stabilize the magnet against irreversible losses due to temperature, shock, and aging. Once stabilized, the magnetic field will remain constant until heated to its Curie temperature—greater than 1000°F (537°C).

The Benefits

Use of linkageless, non-contact stem position feedback benefits plants by:

- Eliminating problems due to worn, corroded, and damaged linkages and potentiometers from vibration.
- Providing access to performance diagnostics, improving valve control, and increasing the ease and speed of commissioning projects, even in the toughest applications.

 Reducing unplanned maintenance and lost production due to premature positioner failures.

The Reliability

Linkageless, non-contact feedback technology has been available in Fisher[™] FIELDVUE[™] digital valve controllers since 2004. More than a million instruments have been sold to global customers serving key industries, including oil and gas, refining, power, chemical, pulp and paper, life sciences, food and beverage, and metals and mining.

To ensure reliability, extensive testing is conducted, including extended cycle, vibration, and performance. Extended cycle testing completed over a thirty month period has resulted in four million cycles with no change in valve performance.

Learn More

Brochure: Fisher FIELDVUE DVC6200 Series Digital Valve Controllers Webpage: Fisher FIELDVUE DVC6200 Digital Valve Controllers Product Bulletin: Fisher FIELDVUE DVC6200 Digital Valve Controllers

f http://www.Facebook.com/FisherValves
http://www.Twitter.com/FisherValves

Emerson Automation Solutions Marshalltown, Iowa 50158 USA Sorocaba, 18087 Brazil Cernay, 68700 France Dubai, United Arab Emirates Singapore 128461 Singapore



http://www.LinkedIn.com/groups/Fisher-3941826

© 2015, 2018 Fisher Controls International LLC. All rights reserved.

Fisher and FIELDVUE are marks owned by one of the companies in the Emerson Automation Solutions business unit of Emerson Electric Co. Emerson and the Emerson logo are trademarks and service marks of Emerson Electric Co. All other marks are the property of their respective owners.

The contents of this publication are presented for informational purposes only, and while every effort has been made to ensure their accuracy, nothing herein is to be construed as a warranty or guarantee, express or implied, regarding the products or services described herein or their use, performance, merchantability or fitness for a particular purpose. Individual results may vary. All sales are governed by our terms and conditions, which are available upon request. We reserve the right to modify or improve the designs or specifications of our products at any time without notice. Responsibility for proper selection, use and maintenance of any product or service remains solely with the purchaser and end user. D352347X012

